

According to Regulation (CE) n°830/2015 and n° 1907/2006



Product

FLUXO P172 AERO

Revision 1

Date

21.08.2019

Page

1/5

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 Product Identifier

Name of the product : FLUXO P172 Aerosol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use : **BIODEGRADABLE** Red Dye Penetrant for Penetrant Testing

1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer and Supplier: SREM TECHNOLOGIES

14, rue des frères Chappe Tél: +33 (0)2.43.48.15.10 ZI Ouest Fax: +33 (0)2.43.45.25.26

72200 La FLECHE - FRANCE e-mail : info@srem.fr www.srem.fr

1.4 Emergency Telephone Number

Emergency Telephone Number : INRS +33.(0)1.45.42.59.59

SECTION 2 – HAZARDS IDENTIFICATION

2.1 Classification of the substance or Mixture

Flammable Aerosol, Cat 1 H222: Extremely Flammable Aerosol

H229: Pressurised container: May burst if heated

Skin Dam - Cat 2 H315 - Causes skin irritation

Eye Dam - Cat 2 H319 - Cause serious eye irritation

2.2 Labels Elements

Hazards Pictograms



Hazard Statement

DANGER

H222: Extremely Flammable Aerosol

H229: Pressurised container: May burst if heated

H315 - Causes skin irritation

H319 - Cause serious eye irritation

Precautionary Statement

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P262 Do not get in eyes, on skin, or on clothing.

P273 - Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN - Wash with plenty of water

P305 + P351 + P338 IF IN EYES - Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container to an approval waste disposal plant.

Special labelling for aerosol cans:

Pressurized container: Do not pierce or burn, even after use - Protect from sunlight - Do not expose to temperatures exceeding $50^{\circ}C$ - Do not spray on an open flame or other ignition source - Keep away from heat/sparks/open flames/hot surfaces - No smoking.

2.3 Other Hazards



According to Regulation (CE) n°830/2015 and n° 1907/2006



Product

FLUXO P172 AERO

Revision 1

Date

21.08.2019

Page

2/5

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not Applicable

3.2 Mixtures

Substance Name	N° CAS N° CE	Classification (1272/2008)	Concentration (%)
Propellant : Propane Butane	74-98-6 - 200-827-9 01-2119486944-21 106-97-8 - 203-448-7 01-2119474691-32	Flam. Gas 1 H220 Press. Gas	> 30 %
alcohols, c12-15-branched and linear, ethoxylated propoxylated	120313-48-6	Skin Corr Cat 2 (H315) Aquatic Acute 1 (H400) H412	< 10 %
alcohols c11 - c15 secondary ethoxylated	68131-40-8	Skin Corr Cat 2 (H315) Eye Dam. Cat 1(H318)	< 5 %

Full Test of H phrases: see section 16.

SECTION 4 – FISRT AID MEASURES

4.1 Description of first aid measures

General information Take off immediately all contaminated clothing and wash it before reuse. In case

of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If unconscious place in recovery position and

seek medical advice.

After ingestion Rinse mouth thoroughly with water. Get medical advice/attention if you feel

unwell.

After eye contact In case of eye irritation consult an ophthalmologist. Rinse immediately carefully

and thoroughly with eye-bath or water.

After skin contact After contact with skin, wash immediately with plenty of water and soap. In case

of skin irritation. Consult a physician. Take off immediately all contaminated

clothing.

Following inhalation In case of inhaling spray mist, consult a doctor immediately and show him

packing or label. If breathing is irregular or stopped, administer artificial

respiration.

4.2 Most important symptoms and effects, both acute and delayed

Respiratory complaints Drowsiness

4.3 <u>Indication of any immediate medical attention and special treatment needed</u>

No data available

SECTION 5 – FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray Water mist Foam Extinguishing powder

Unsuitable extinguishing media: Full Water Jet

5.2 Special Hazards arising from the substance or mixtures

: In case of fire may be liberated: Nitrogen oxides (NOx) Carbon monoxide.



According to Regulation (CE) n°830/2015 and n° 1907/2006



Product

FLUXO P172 AERO

Revision 1

Date

21.08.2019

Page

3/5

5.3 Advice for Firefighters

: In case of fire: Wear self-contained breathing apparatus.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

: Use personal protection equipment – Provide adequate ventilation

6.2 Environmental Precautions

: Do not allow to enter into surface water or drains

6.3 Methods and material for containment and cleaning up

: Absorb with liquid-binding material

6.4 Reference to others sections

: See section 8 & 13

SECTION 7 – HANDLING AND STORAGE

7.1 Precautions for safe handling

All work processes must always be designed so that the following is excluded: Inhalation Skin contact Eye contact Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

7.2 Conditions for safe storage, including any incompatibilities

Ensure adequate ventilation of the storage area.

Hints on storage assembly: Materials to avoid oxidizing agent

Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place.

7.3 Specific End Uses

: Red Dye Penetrant for Penetrant Testing

SECTION 8 - EXPOSURE CONTROLES AND PERSONAL PROTECTION

8.1 <u>Control Parameters</u>

Component	CAS	
Butane	106-97-8	Long Term Value = 800 ppm = 1900 mg/m3

8.2 Exposure Controls

Eye/face protection : Suitable eye protection: Eye glasses

Skin protection : Use protective skin cream before handling the product. Hand protection

Suitable gloves type: NBR (Nitrile rubber)

Respiratory protection : Filter type: AX is appropriate (if necessary).

Protective clothing : Body protection: not required.

General health and safety measures: When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. After cleaning apply high-fat content

skin care cream.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemicals properties:

Physical Sate : Aerosol Aspect : Red

Odor : characteristic



According to Regulation (CE) n°830/2015 and n° 1907/2006



Product FLUXO P172 AERO

Revision 1

Date

21.08.2019

4/5

Density (active component) $: 905 \text{ kg/m}^3$ Flash Point (active component) $:> 120^{\circ}C$

: $5-6 \text{ mm}^2/\text{s} (40^{\circ}\text{C})$ Viscosity

Initial boiling Point $:> 200^{\circ}$ C (EN ISO 3405) **Ignition Temperature** : > 250°C (ASTM E659)

Explosive Limits : lower : 0.5% upper: 6%

Solubility : partially soluble in water

9.2 Others information

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity

: Reaction with oxidising agent

10.2 Chemical Stability

: Stable in normal condition of use

10.3 Possibility of Hazardous reactions

: No Data available

10.4 Conditions to avoid

: No Data available

10.5 Incompatible Materials

: No Data available

10.6 <u>Hazardous decomposition products</u>

: No Data available

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Information

Acute oral toxicity: Data apply to the main component. Acute dermal toxicity: Data apply to the main component. Acute inhalation toxicity: Data apply to the main component.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity

: No Data available

12.2 Persistence and degradability

: Biodegradability > 80% (OCDE 302B)

12.3 Bio accumulative potential

: No Data available

12.4 Mobility in soil

: No Data available

12.5 Results of PBT and vPvB assessment

: no PBT and vPvB

12.6 Other adverse effects

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment methods

Do not reject the product



According to Regulation (CE) n°830/2015 and n° 1907/2006



Product

FLUXO P172 AERO

Revision 1

Date

21.08.2019

Page

5/5

Ensure conformity to local disposal regulations. Packing is not taken again, they must be eliminated (polyethylene cans)

SECTION 14 – TRANSPORT INFORMATION

14.1 UN Number

1950

14.2 UN proper shipping name

AÉROSOLS, FLAMMABLE

14.3 Transport Hazard Class

ADR / RID: 2

IMDG: 2

IATA: 2.1

14.4 Packing Group

ADR / RID : No - Instruction LQ2 (LIMITED QUANTITY)

IMDG: No - Instruction LQ2 (LIMITED QUANTITY)

IATA:

14.5 Environmental hazards

No

14.6 Special precautions for users

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture

15.2 Chemical Safety Assessment

: No data available

SECTION 16 – OTHER INFORMATION

The European regulation imposes that all the H sentences (section 2) appear in this paragraph. According to their concentration in the final product, these sentences do not appear on the label. This is why sentences or initials appearing in this paragraph can not appear on the label.

H sentences (section 2 and 3)

H220: Extremely flammable Gas

H222: Extremely Flammable Aerosol

H229: Pressurised container: May burst if heated

H315: Causes skin irritation

H318: Causes serious eye damage

H400: Very toxic to aquatic life

H412: Harmful to aquatic life with long lasting effects

<u>Use</u> : Please refer to Technical Data Sheet